FLYING MODEL ROCKET CATALOG



A DAMON COMPANY

Stealth Fighter #1929 See pages 36, 37 and back cover


1050

No. 841 P \$1.00

HERE'S HOW TO USE YOUR ESTES CATALOG

Information on each rocket kit is provided on each page of the catalog where rockets are displayed. This information includes:

- · Skill Level number recommends the general skill level and experience necessary for a rocketeer to successfully complete the kit. Skill Level 1 kits are suggested for beginners. Skill Level 2 for intermediate rocketeers, and lo on to Skill Level 5, expert rocketeer. All kits in this catalog have the appropriate Skill Level Indicated
- Rocket type is indicated in the upper left corner of each catalog spread. Rocket kits in this catalog. are grouped by type, whether sport filers, mini brutes, multi-stagers, futuristic kits, scale models or "D" powered rockets.
- Name of kit.
- Special features and add tional kit information including kit length, diameter and weight
- Engine types lists all recommended engines for flying the rocket. Engines are listed from least powerful to most powerful. Also indicates which engines should be used for first flight
- Product number for kit which should always be used when ordering
- Price of kit (or see price list)
- Average shipping weight for these models
- Kit feature symbols indicate the following kil features:



Parachute & Size



Plastic Nose Cone



Die-Cut Balsa Fins

or Fin-Unit



Engine Mount

All prices in this catalog are subject to change without notice.

All model rocket kits in this catalog require assembly unless otherwise stated. Some of these flying model rockets can be put together and ready to launch in minutes. Others with their sophisticated aerodynamics and wealth of detail are more challenging. The Skill Level number given for each kit recommends the skills and experience necessary for a rocketeer to successfully complete the kit. Generally speaking, it is not wise to jump skill levels. Unless you are an extremely experienced modeler, you should complete a kit of Skill Level 1 before attempting Skill Level 2. and you should build a Skill Level 2 rocket before moving on to Skill Level 3 __ and so on.

Very Simple - Recommended for beginners.


SMILL LEVEL 2 Fairly Easy - Recommended for individuals with some model

building experience.

MODEL ROCKET ENGINE

SKILL LEVEL 3 Average Challenge - Recommended for the experienced model builder. Very Challenging - Recommended for the advanced model builder


SKILL LEVEL 5 Challenging - Recommended for the expert model builder



rials such as balsa wood, paper tubing and plastic. This diagram shows the basic components found in most model rocket kits. Unless otherwise stated, all the model rocketry kits in this catalog are hobby kits requiring assembly. Launch system, engines, launch supplies, glue, batteries, paint, tools, and finishing materials are not included. Recommended for ages 10 to adult. Adult supervision suggested for those under 12 years of age when flying model

MODEL ROCKET FLIGHT SEQUENCE





MODEL ROCKETRY IS AN INTERNATIONALLY RECOGNIZED HOBBY WITH A SAFETY RECORD OF MORE THAN 210 MILLION SUCCESSFUL MODEL ROCKET LAUNCHINGS

Eates Model Rocket Engines Are Safety Tested And Contest

Cartified By:

•U.S. National Association of Frenkelly Common Association of Rocketsy

Estas Model Rockel Engines Have Been Tested And Approved By:

•Uni gr. States Department of Transportation

•Trunsdail Laboratories Inc.

•Cuna turn Department of Entirety, Mines, and His out-

· Government at West Germany

Estes Model Rocketry Products Meet The Standards And Reguirements Established By:

•N. hone: Fire Protection Association

•U.S. Consumer Product Safety Commission

•U.S. Food & Drug Admirus ation

•U.S. Department of Transportation •Feder As alion Ada / Listion

•U S Postal Service

•United Parcol Service

•American Insurance Association

■International Air Transport Association

eleternologial Mantimo Organization

An Line Filets Ampointion

Model Rocketry is Endorsed As A Sate And Rewarding Hobby By:

*Cuti Scouts of America.

·Boy Scoula of Amuelia

*YMCAS

•National 4 H Clubs

*Civil Air Patrol

4NASA

*United States Air Force

*USAF JROTC Program

#15,000 Element by Jr. High, and High School

• Uage College and Universities

*thindreds of Crimo and Rechiebon Program



NAR/HIAA MODEL ROCKETRY SAFETY CODE

- made of lightweight materials such as paper. wood, plastic and rubber, without any metal as structural parts.
- 2. ENGINES-I will use only pre-loaded factorymade N.A.R. Safety Certified model rocket engines in the manner recommended by the manufacturer. I will not change in any way nor attempt to reload these engines.
- 3. Recovery-I will always use a recovery system in my rockets that will return them safely to the ground so that they may be flown again.
- 4. Weight Limits-My model rocket will weigh no more than 453 grams (16 oz.) at lift-off and the engine will contain no more than 113 grams (4 oz.) of propellant.
- 5. Stability-I will check the stability of my model rockets before their first flight, except when launching models of already proven
- 6. Launching System-The system I use to launch my model rockets must be remotely controlled and electrically operated, and will contain a switch that will return to "off" when released. I will remain at least 15 feet from any rocket that is being launched.
- 7. Launch Safety-I will not let anyone approach a model rocket on a launcher until I have made sure that either the safety interlock key has been removed or the battery has been disconnected from my launcher.
- 8. Flying Conditions-I will not launch my model rockets in high winds, near buildings, power lines, tall trees, low flying aircraft, or under any conditions which might be dangerous to people or properly.

- 1. Construction-My model rockets will be 9 Launch Area-My model rockets will always be launched from a cleared area, free of any easy to burn materials, and I will only use non-flammable recovery wadding in my
 - 10 Jet Deflector-My launcher will have a jet deflector device to prevent the engine exhaust from hitting the ground directly
 - 11 Launch Rod-To prevent accidental eye injury I will always place the launcher so the end of the rod is above eye level or cap the end of the rod with my hand when approaching it. I will never place my head or body over the launching rod. When my launcher is not in use I will always store it so that the launch rod is not in an upright position.
 - 12. Power Lines-I will never attempt to recover my rocket from power lines or other dangerous places.
 - 13. Launch Targets & Angle I will not launch rockets so their flight path will carry them against targets on the ground, and will never use an explosive warhead nor a payload that is intended to be flammable. My faunching device will always be pointed within 30 degrees of vertical.
 - 14. Pre-Launch Test-When conducting research activities with unproven designs or methods, I will, when possible, determine their reliability through pre-launch tests. I will conduct launchings of unproven designs In complete isolation from persons not participating in the actual launching.

As a member of the Estes Model Rocketry Program, I promise to faithfully follow all rules of safe conduct as established in the above code.

Signature



covery and flights over 900 feet. Also included is the Big Foot * Launch System with big "two-foot-print" imprint for maximum launch pad stability. Includes blast deflector plate, and 1/8 x 36 launch rod. Legs remove easily for compact storage. Flight Pak includes three NAR safety-certified model rocket engines, recovery wadding and Solar Igniters. (Requires 4 alkaline type "D" cell batteries, glue and finishing supplies - Not Included.) Ship, Wt.: 2 lbs.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, C6-5.

No. 1432

\$23.95







Ready-To-Launch

X-15 STARTER KIT

SKILL LEVEL 1 The ideal starter kit for parent and child. Your X-15 rocket can be ready to launch in less than 15 minutes. Includes ready-to-fly X-15 Rocket Plane with 10" recovery parachute, authentic scale decor and easy-lock engine mount. Ruggedly designed portable launch system includes hand-held controller, realistic launch pad with 24" two-piece launch rod, blast deflector and pre-soldered micro clips. Entire system is prewired. Also included are 3 NAR safety-certified A3-4T Mini Engines, parachute recovery wadding and Solar Igniters. (Requires four AA size alkaline batteries for operation - Not Included), Ship. Wt. 2

lbs. 8 oz. ENGINES: A3-4T (1st Flt.), A10-3T.

No. 0715 \$26.95



ALPHA III STARTER KIT

SKILL LEVEL 1 Includes easy-to-build Alpha III model rocket kit. Pre-colored Parts - no painting required! Also includes newly re-designed porta-pad tri-pod launcher with blast deflector plate and 1/8 x 36 two-piece launch rod, Solar Launch Controller and Flight Pak including three NAR safety-certified model rocket engines, parachute recovery wadding and Solar Igniters. (Requires 4 alkaline AA batteries, glue and finishing supplies-Not Included.) Ship, Wt. 3 lbs.

ENGINES: 1/2A6-2, A8-3 (1st Flt.), A8-5, B4-4, B6-4, B8-5, C6-5, C6-7,

No. 1406 \$19.95



CHALLENGER - 1

FLYING MODEL ROCKETRY STARTER KIT

SKILL LEVEL 1 Includes easy-to-assemble, highperformance Challenger-1 model rocket featuring orange plastic nose cone and fin-unit. No painting required! Flights over 1000 feet. Also includes Challenger-1 launch control system with futuristically designed launch controller, 15 feet of launch cable, micro-clips, launch pad with blast deflector plate and 1/8" x 36" launch rod. Flight pak includes three NAR safety-certified model rocket engines, parachute recovery wadding and reliable Solar Igniters for three exciting flights.

(Requires 6 or 12 volt lantern battery and glue - Not Included). Ship. Wt. 1 lb.

ENGINES: 1/2A6-2, A8-3 (First Flight), A8-5, B4-4, B6-4, B8-5, C6-5, C6-7.

No. 1416

\$13.95







SPACE SHUTTLE COLUMBIA FLYING MODEL ROCKETRY STARTER KIT

SKILL LEVEL 2 Newly redesigned to include the latest technology, this starter kit features the Space Shuttle Columbia kit (see page 51), Power-Pulse Launch Controller, Porta Pad launcher with blast deflector and 1/8" x 36" launch rod. Also included are three NAR safety-certified model rocket engines, parachute recovery wadding and Solar Igniters - everything you need to get your Shuttle program started today.

(Requires 6 volt Polaroid* Pola-Pulse** P-100 battery, white glue, plastic cement, paint and finishing supplies-Not Included.) Ship. Wt. 1 lb.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5. No. 1433

\$23.95

DELUXE

FLYING MODEL ROCKET STARTER KIT

SKILL LEVEL 1 Complete with everything you need including Alpha model rocket kit, construction supplies, finishing materials, Porta-Pad launcher with blast deflector plate and two-piece 1/8" x 36" launch rod, Solar Launch Controller, and Flight Pak with 3 high performance NAR safety-certified model rocket engines. Solar Igniters and parachute recovery wadding.

(Requires 4 alkaline AA batteries for operation-Not Included). Ship. Wt. 3 lbs.,

ENGINES: 1/2A6-2, A8-3 (1st Fit.), A8-5, B4-4, B6-4, 88-5, C6-5, C6-7

No. 1407 \$25.95



FALCON COMMANDER

EXOTIC FLYING MODEL ROCKET STARTER KIT

SKILL LEVEL 1 This exciting starter kit features the forward swept-wing Falcon Commander model rocket kit capable of flights to 1,200 feet. Launch control system is also included with hand-held launch controller, blast deflector plate and 1/8" x 36" twopiece launch rod. Also included is flight pak containing three high-performance NAR safety-certified model rocket engines, parachute recovery wadding and Solar Igniters.

(Requires 6 or 12 volt lantern battery, paint, and glue- Not Included.) Ship. Wt. 1 lb.

ENGINES: A8-3 (1st Fit.), A8-5, B4-4, B6-4, B6-6, B8-5, C6-5, C6-7.

No. 1428

\$14.95









ESTES AEROSPACE CLUB MEMBERSHIP

Join more than 25,000 Estes rocketeers getting the most out of model rocketry. The EAC Thrust Bar Achievement Program awards members with iron-on thrust bars & achievement certificates as they progress from one skill level to the next. Your membership includes:

VIPER ROCKET KIT Club's Exclusive High Performance Design. REC. ENGINES: 1/2A3-2T (1st Fit.), A3-4T, A10-3T, (Not included) MEMBERSHIP CERTIFICATE CLUB EMBLEM

Official iron-on patch. As you progress to higher skill levels you receive additional iron-on "thrust" bars.

DECAL SHEET

Identify your rockets as part of the EAC fleet!

RANGE BOX STICKERS

EAC STATIONERY

MODEL ROCKETRY TECHNICAL MANUAL

Includes information on construction techniques, finishing, stability, tracking, recovery systems, multi-staging, and boost gliders plus much, much more.

COPY OF MODEL ROCKET NEWS


Features free plan designs, technical articles, contests, rocketeer contributions and more.

JOIN NOW!

BECOME AN ESTES AEROSPACE CLUB ROCKETEER TODAY!!

Simply check the EAC box on your order form and include your payment, Ship, Wt. 9 oz. Regular EAC Membership.

ACHIEVEMENT PROGRAM BRILL CEVEL TWO SHALL LEVEL THREE CRAFTEMAN ROCKETTER BRILL LEVEL FIVE No. 1447 ONLY \$6.00 P



feet in the sky. Astro Cam 110's 1/500th second shutter speed is activated at ejection just prior to parachute deployment. Features include easy assembly, acrylic lens, plastic housing, glass first-surface mirror and high performance design. Easy to operate and shoots one full-color 110 photo per flight. Delta II features white body tube and pre-colored plastic fin-unit for stability. No painting required. Uses Kodak Kodacolor 110 color print film, ASA 400, or equivalent-Not included. Film and developing are available locally. Camera not sold separately. Use Delta II or Challenger II (see page 55) as launch vehicle. Other launch vehicles are not recommended. Specifications-Camera with Launch Vehicle: Length: 19.1" Dia. 1.34" Fin Span 4.75 Wt. 3.75 oz. Ship. Wt. 14 oz. Camera Specifications: Length; 6.5 Dia. 1.39 Wt. 1.36 oz. (without film). Wt. 1.76 oz. (with film). ENGINES: B8-5, C6-5, C6-7 (1st Fit.).

No. 1327 \$24.00

Engines, launch system, film, glue 12 and finishing supplies-Not Included.











A DAMON COMPANY

ASTRO BEE

SKILL LEVEL 1. Reach altitudes over 1,200 feet with this sounding rocket style design. Length: 14.75° Dia, 0,976° Wt. 0.823 oz.

ENGINES: 1/2A6-2, A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5, C6-7.

No. 1356

\$4.75



SIZZLER

SKILL LEVEL 1 High performance design for flights over 900 feet. A long bird that's great for demonstrations. Length: 23.5" Dia. 0.976" Wt. 1.41 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5 No. 1906

\$4.95



COUGAR

SKILL LEVEL 1 High performance, sleek sport flyer can attain altitudes over 1000 feet. Length: 17.5" Dia. 0.976" Wt. 1.06 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5. No. 1923

\$3.75



HARPOON

SKILL LEVEL 1 Realistic missite design makes spectacular flights to 1,000 feet with 18° streamer recovery. Length: 13.75° Dia. 0.976° Wt. 1.3 oz. ENGINES: A8-3 (1st Fit.), B4-4, B6-4, C6-5

No. 1915

\$4.25




SPIN FIN

SKILL LEVEL 1 Unique spin-flight design creates dramatic curling smoke trail on its way up. Spectacular flights over 1,200 feet with 30° streamer recovery. Length: 11.6° Dia. 0.736° Wt. 0.6 oz. ENGINES: 1/2A6-4, A8-5 (1st Fit.), B4-6, B6-6, C6-7.

No. 1355 \$3.25



Engines, launch system, glue and finishing supplies-Not Included. Avg. Ship. Wt. 10 oz.





FIRECAT

SKILL LEVEL 1 Authentic looking anti-tank missile of the future. Features unique scale-like plastic nose cone. Flights over 1,000 feet are possible with a "C" engine. Length: 15" Dia. 1.04" Wt. 1.5 oz. ENGINES: 1/2A6-2, A8-3 (1st Fit.), A8-5, B4-4, B6-4, B8-5, C6-5, C6-7.

No. 1378 \$4.95 570/1

AERO-FIN

SKILL LEVEL 2 Unique five-fin design. Flights over 1200 feet with 18" streamer recovery. Length: 11.62" Dia. 0.736" Wt. 0.53 oz.

ENGINES: 1/2A6-2, A8-3 (1st Fit.), A8-5, B4-4, B6-4, B8-5, C6-5, C6-7.

No. 1390 \$3.95



WIZARD

SKILL LEVEL 1 Simple and quick-to-assemble. One of the highest performing vehicles in Estes' fleet with its 1,600 foot altitude capability and huge 30" streamer recovery system that makes it easy to track. Length: 12" Dia. 0.736" Wt. 0.79 oz.

ENGINES: 1/2A6-2, A8-3 (1st Fit.), A8-5, B4-4, B6-4, B8-5, C6-5, C6-7.

No. 1292 \$2.50 50/A

YANKEE

SKILL LEVEL 1 Easy-to-build, yet performance that will rival any rocket. Capable of flights over 2,000 feet with 30" long streamer recovery. Length: 11" Dia. 0.736" Wt. 0.42 oz.

ENGINES: 1/2A6-2, 1/2A6-4, A8-3, A8-5 (1st Fit.), B4-4, B4-6, B6-4, B6-6, B8-5, C6-5, C6-7.

No. 1381 \$2.25



Engines, launch system, glue and finishing supplies-Not Included. Avg. Ship. Wt. 8 oz.



ALPHA III

SKILL LEVEL 1 Another great first or second kit. Plastic nose cone and fin assembly make for easy, quick assembly. This rocket will deliver outstanding performance flight-after-flight. Length 12.25° Dia, 0.976° Wt. 1.2 oz.

ENGINES: 1/2A6-2, A8-3 (1st Fit.), A8-5, B4-4, B6-4, B8-5, C6-5, C6-7.

No. 1256

\$5.25



THE BAT

SKILL LEVEL 1 Unique sport model with far-out "Bat" decor. Easy-to-build. Delivers great flights over 1,000 feet and returns via 90" long streamer. Length 16.63" Dia. 0,976" Wt. .92 oz.

ENGINES: 1/2A6-2, A8-3 (1st Fit.), A8-5, B4-4, B6-4, B8-5, C6-5, C6-7

No. 1362

\$4.95



MAVERICK

SKILL LEVEL 1 This sleek sport performer features streamer recovery and flights over 1000 feet. Easy-to-build and fun-to-fly. Length: 16.5° Dia. 0.976° Wt. 1.13 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5

No. 1904

\$4.50



DER RED MAX

SKILL LEVEL 2 Far-out super-fun model. Large stable design gives great sport performance. Length: 16.25° Dia. 1.637° Wt. 2.38 oz.

ENGINES: B4-2 (1st Fit.), B4-4, B6-2, B6-4, B8-5,

C6-5, C6-7 No. 0651

\$8.25



MINI SHUTTLE

SKILL LEVEL 2 Sport scale version of the space shuttle orbiter. Uses regular size engines. Length: 9.37" Dia. 1.63" Wt. 1.35 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B4-6, B6-4, B6-6,

B8-5, C6-5, C6-7. No. 1391

\$4.50



Engines, launch system, glue and finishing supplies-Not included. Avg. Ship. Wt. 10 oz.





QUASAR

SKILL LEVEL 1 Dramatic, easy-to-build model for beginners. Bright white plastic nose cone and fin assembly. Metalized pre-printed mylar wrap-on decal for the body tube. No painting required! Length: 14" Dia. 0.976"Wt. 1.5 oz.

ENGINES: 1/2A6-2, A8-3 (1st Fit.), B4-2, B4-4, B6-2, B6-4, B8-5, C6-5.

No. 0650

\$6.95







COMET

SKILL LEVEL 1 High performance sport flyer over 2 feet long. Quick and easy-to-assemble. Delivers great flights over 1,200 feet. Length: 24.25" Dia. 1.325" Wt. 1.8 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5, C6-7.

No. 1368 \$5.75





STINGER

SKILL LEVEL 1 A sleek sport performer capable of flights over 1000 feet. Easy-to-build and fun-to-fly. Length: 13.5" Dia. 0.976" Wt. 0.98 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5.

No. 1905 \$4.50





POLARIS

SKILL LEVEL 1 Sleek sounding rocket design with large payload section. Excellent performance for flights over 1,000 feet. Perfect for small insect payloads. Length: 18" Dia. 0.976" Wt. 1.3 oz. ENGINES: 1/2A6-2, A8-3 (1st Fit.), A8-5, B4-4, B6-4,

B8-5, C6-5, C6-7.

No. 1324 \$6.75





ALPHA

SKILL LEVEL 1 The ideal kit for your first or second rocket. Swept-fin design makes it a really great performer. Features plastic nose cone and balsa fins. Length: 12.25" Dia. 0.976" Wt. 0.8 oz.

ENGINES: 1/2A6-2, A8-3 (1st Fit.), A8-5, B4-4, B6-4, B8-5, C6-5, C6-7.

No. 1225

\$4.50







Engines, launch system, glue and finishing supplies-Not Included, Avg. Ship. Wt. 10 oz.



MARAUDER

SKILL LEVEL 1 Easy-to-build sport flier with large payload section. Files cargo experiments to over 750 feet, Length: 20.4° Body Dia. 1.325° Payload Dia. 1.637° Wt. 2.3 oz.

ENGINES: B4-4 (1st Fit.), B6-4, C6-5.

No. 1922

\$5.50



CYCLONE

SKILL LEVEL 1 Flights over 800 feet make this one you'll want to add to your fleet. Unique decal and big size make it ideal for demos. Length: 16 Dia. 1.32" Wt. 1.48 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5.

No. 1907 \$4.95





BIG BERTHA

SKILL LEVEL 1 Perfect kit for a "big" second rocket, Ideal for demonstration launches, Slow, realistic lift-off for really spectacular flights, 24 from nose to tail. A real favorite of rocketeers. Length: 24" Dia. 1.637 Wt. 2.2 oz.

ENGINES: A8-3, B4-2, B4-4, B6-2 (1st Fit.), B6-4,

B8- 5, C6-5

No. 1223 \$8.25



KADET

SKILL LEVEL 1 Achieve flights over 1,000 feet with this super high flying sport model. Nearly indestructible with pre-colored plastic nose cone and fin-unit. Quick and easy-to-assemble. No painting required! Easy-track recovery with 30° fluorescent steamer, Length: 15"Dia. 0.98" Wt. 1.13 oz. ENGINES: 1/2A6-2, A8-3 (1st Fit.), A8-5, B4-4, B6-4,

B8-5, C6-5, C6-7

No. 1328 \$4.95







ZINGER

SKILL LEVEL 1 This sporty little flyer with 18" streamer recovery will reach "awesome" altitudes up to 2000 feet. Length: 10.25" Dia. 0.736" Wt. 0.3 oz. ENGINES: 1/2A6-4 (1st Fit.), A8-5, B4-6, B6-6, C6-7. No. 1917

\$1.95



Engines, launch system, glue, and finishing supplies-Not included, Avg. Ship. Wt. 10 oz.



SCOUT

SKILL LEVEL 1 Estes Industries first model rocket, originally developed in 1959. Teaches you elementary balance and design principles. Sleek lines and tumble recovery for really exciting flights. Pat. No. 3,114,317. Length: 7 Dia. 0.765 Wt. 0.3 oz. ENGINES: 1 2A6-2 (1st Fit.), A8-3, B4-4, B6-4, B8-5, C6-5.

No. 1201 \$2.50



MARK II

SKILL LEVEL 1 Ideal for sport or demonstration flying. Designed for midbody ejection separation system with streamer recovery, It's an excellent challenge for the novice rocketeer. Top-notch performance, Length: 9.1 Dia. 0.765 Wt. 0.7 oz. ENGINES: 1 2A6-2 (1st Fit.), A8-3, B4-4, B6-4, B8-5, C6-5,

No. 1202 \$4.50



COBRA - 1500

SKILL LEVEL 2 Attains flights over 700 feet, with "C" type engine, from this extrailing sport filer. Perfect demonstration model with large 18' parachute recovery, Length: 59 Dia. 1,325 Wt. 3,17 oz. ENGINES: B4-2, B4-4 (1st Fit.), B6-2, B6-4, B8-5,

No. 1294 \$8.95



BLUE BIRD ZERO

SKILL LEVEL 2 Experimental sounding design over 3 feet tall. Easy-to-assemble. Delivers high performance flights and gentle recoveries with big 18 recovery 'chute. Length: 39.75 Dis. 1.325 Wt. 2.7

ENGINES: B4-2, B4-4, B6-2, B6-4 (1st Fit.), B8-5, C6-5, C6-7.

No. 1335 \$8.50



METEOR

SKILL LEVEL 1 Super sport flyer with 90 streamer recovery. High performance flights to 1,200 feet. Length: 18.63' Dla. 0.976 Wt. 0.94 oz.


ENGINES: 1 2A6-2, A8-3 (1st Flt.), A8-5, B4-4, B6-4. B8-5, C6-5, C6-7.

No. 1370 \$5,25





Engines, launch system, glue and finishing supplies-Not included. Avg. Ship. Wt. 10 oz.





CONTRACTOR SECURIOR S

X-RAY

SKILL LEVEL 1 Perfect for your first payloader or second kit. Features large see-through payload cargo section. The recommended single-stage payload vehicle for small biological or insect projects, Length; 18.75° Dia. 0.736° Wt. 0.7 oz.

ENGINES: 1/2A6-2, A8-3 (1st Fit.), B4-4, B6-4, B8-5,

No. 1218 \$7.25



COURIER

SKILL LEVEL 1 Single Stage Performance. Scalelike appearance of two-stage sounding rocket. Flights over 1100 feet, Length: 12.13 Dia. 0.736 Wt. 0.53 oz.

ENGINES: 1-2A6-2, A8-5 (1st Fit.), B4-4, B4-6, B6-4, B6-6, B8-5, C6-5, C6-7.

No. 1911 \$2.75



PATRIOT

SKILL LEVEL 2 Big, burly, and impressive sport model over 25" tail. Spectacular "All-American" red, white, and blue decor. Makes a great demonstration model. Fast, easy construction. Length: 26" Dia. 1.637" Wt. 3.3 oz.

ENGINES: B4-2 (1st Fit.), B4-4, B6-2, B6-4, B8-5, C6-5, C6-7.

No. 0652 \$9.95



SKY HOOK

SKILL LEVEL 1 An excellent kit for your second rocket. Easy-to-build with terrific performance flight-after-flight. Length: 12° Dia. 0.765° Wt. 0.7 oz. ENGINES: 1°2A6-2 (1st Fit.), A8-3, A8-5, B4-4, B4-6, B6-4, B6-6, B8-5, C6-5, C6-7.

No. 1208 \$4.50



STREAK

SKILL LEVEL 1 Lightweight, wind-cheating design (1/8 oz. without engine). Great for contests and records. Features simple feather-weight recovery. Length: 5.6" Dia. 0.720" Wt. 0.1 oz.

ENGINES: 1/2A6-4 (1st Fit.), A8-5, B4-6, B6-6, C6-7.

No. 1204 \$2.50



Engines, launch system, glue and finishing supplies-Not Included. Avg. Ship. Wt. 12 oz.





ESTES STARLINER

SKILL LEVEL 3 Futuristic Estes version of a commercial space transport ship of the 21st Century Mini-engine powered for low cost flights. Length: 12.6 Dia. 0.736 Wt. 0.9 oz.

ENGINES: 1/2A3-2T (1st Fit.), A3-2T, A3-4T, A10-3T No. 0863

\$4.75

MINI MEAN MACHINE

SKILL LEVEL 1 Mini-powered version of our huge Mean Machine kit, Over 38 inches long and capable of flights over 700 feet. Length: 38.5 Dia. 0.736 Wt.

ENGINES: 1 2A3-2T, A3-2T (1st Fit.), A10-3T

No. 0865

\$5.50





ECLIPSE

SKILL LEVEL 1 Reach altitudes over 600 feet with this great Mini-Brute sport filer. Very high performance design. Length: 12.1 Dia. 0.736 Wt. 0.51 oz. ENGINES: 1'2A3-2T (15t Fit.), 1 2A3-4T, A3-4T,

A3- 6T, A10-3T No. 0846

\$4.75







BIG YANK

SKILL LEVEL 1 Mini-engine powered sport flier. Easy-to-build and capable of flights over 400 feet. Length: 26.5 Dia. 0.736 Wt. 0.92 oz.

ENGINES: 1 2A3-2T (1st Fit.), A3-4T, A10-3T.

No. 0868 \$3.50



MOSQUITO

SKILL LEVEL 1 The smallest of all Mini-Brutes combines fantastic performance with featherweight recovery. Balsa and paper construction with simple spray paint decor makes for quick-and-easy assembly, Length: 3.9' Dia, 0.541' Wt. 0.1 oz. ENGINES: 1/2A3-4T (1st Fit.), A3-6T, A10-3T No. 0801

\$.99

Engines, launch system; glue and finishing supplies-Not Included. Avg. Ship. Wt. 6 oz.





STAR DART

SKILL LEVEL 1 High performance, mini-engine powered sport rocket. Files over 1,000 feet and returns via streamer recovery. Very easy-to-assemble. Length 8.4° Dia. 0.541° Wt. 0.225 oz.

ENGINES: 1/2A3-4T (1st Fit.), A3-6T.

No. 0860 \$2.50



MINITRI PAK

SKILL LEVEL 2 Three unique rocket kits in one package - for one low price! Kit includes:

STAR SEEKER

Interstellar speeder for short hops between galaxies. Mini-power boosts it near 1500 feet. The model breaks apart into two connected pieces for safe recovery. Length: 6.9° Dia. 0.5° Wt. 0.26 oz.

ENGINES: 1:2A3-2T (1st Fit.), 1:2A3-4T, A3-2T, A3-4T, A3-6T, A10-3T.

STING RAY

Two-stage mini performance. Out-of-sight flights to 2500 feet! Length: 8.4° Dia. 0.5° Wt. 0.33 oz.

ENGINES: Booster: A10-0T (1st Fit.)

Upper Stage: 1/2A3-2T (1st Fit.), 1/2A3-4T, A3-2T, A3-4T, A3-6T, A10-3T.



SCRAM

Military styled surface-to-air missile. Flights over 1000 feet. Break-apart recovery. Length: 7.3° Dia. 0.5° Wt. 0.29 oz.

ENGINES: 1/2A3-2T (1st Fit.), 1/2A3-4T, A3-2T, A3-4T, A3-6T, A10-3T.

MINI TRI PAK No. 0866 \$5.50



Engines, launch system, glue and finishing supplies-Not included. Avg. Ship. Wt. 9 oz.



BETA

SKILL LEVEL 2 Two stage Mini-Brute for really high flights. Low-drag design with sounding rocket style decor. Booster stage has tumble recovery while top stage returns via parachute. Pat. No. 3,392,302. Length: 13.76" Dia. 0.736" Wt. 0.75 oz.

ENGINES: Upper Stage: 1/2A3-4T (1st Fit.), A3-6T,

Booster Stage: A10-07 (1st Flt.).

No. 0845 \$4.95



AIRBORNE SURVEILLANCE MISSILE

SKILL LEVEL 3 Unique scale-like appearance and a challenge to build. Length: 11.4" Dia. 0.976" Wt. 0.71

ENGINES: A3-4T (1st Fit.), A10-3T.

No. 0867 \$3.50



COMBO KIT:

SKILL LEVEL 1 Two mini kits for the price of one! Includes: JAVELIN

Super performance, easy-to-build competition design with streamer recovery. Scale-like sounding rocket appearance. Reaches altitudes over 1,000 feet. Length: 12.4" Dia. 0.541" Wt. 0.34 oz.

ENGINES: 1/2A3-2T (1st Fit.), A3-4T, A10-3T.

SUPER FLEA



The "Flea's" competition design gives ultrahigh performance. Reaches incredible altitudes with ogive nose cone and swept fins. Easy-to-build and features break-away drag recovery, Length: 7.34" Dia. 0.541" Wt. 0.158 oz. ENGINES: 1/2A3-2T (1st Fit.), 1/2A3-4T, A3-4T, A10-3T:

No. 0815 JAVELIN & SUPER FLEA COMBO KIT \$5.25

SPARTAN

SKILL LEVEL 1 This super-sleek mini-powered model flies over 400 feet and returns to Earth on a brightly colored 30" streamer. Length: 14.2" Dia. 0.976° Wt. 0.91 oz.

ENGINES: 1/2A3-2T, A3-4T (1st Fit.), A10-3T.

No. 0864 \$4.75



A.S.P.

SKILL LEVEL 2 Mini-engine powered, semi-scale model of famous atmospheric sounding projectile. Features spinnerons for realistic spin-flight performance, Length: 20.5° Dia. 0.736° Wt. 0.82 oz. ENGINES: 1/2A3-4T (1st Fit.), A3-4T, A10-3T,

No. 0862



Engines, launch system, glue and finishing supplies-Not Included, Avg. Ship. Wt. 10 oz.





HERCULES

SKILL LEVEL 3 Clear payload section highlights this two-stager. Sleek design that can be flown as a single or two-stage model. Flights over 2,500 feet! Length: 21.6" Dia. 0.976" Wt. 1.84 oz.

ENGINES: Single Stage: A8-3 (1st Fit.), 84-4, 86-4, B8-5, C6-5.

Upper Stage: A8-5 (1st Fit.), B6-6, B8-5,

Booster: A8-0 (1st Fit.), B6-0, C6-0.

No. 1377 \$6.75



SCORPION

SKILL LEVEL 2 High flying two-stage sport model with research vehicle styling. Easy-to-build and exciting to fly with all plastic fin-units. Booster employs tumble recovery while upper stage streaks skyward to altitudes over 1,000 feet. Length: 26.5° Dia. 0.976" Wt. 1.8 oz.

ENGINES: Single Stage: A8-3 (1st Fit.), A8-5, B4-4, B4-6, B6-4, B6-6, B8-5, C6-5, C6-7.

Upper Stage: A8-5 (1st Fit.), B4-6, B6-6,

Booster Stage: A8-0(1st Fit.), B6-0, C6-0.

No. 1333 \$7.75







SKY-HI

SKILL LEVEL 2 High performance two-stager with single stage, sounding rocket appearance. Nesting fins create very sleek design. Simplified construction. Length: 25" Dia. 0.976" Wt. 1.7 oz.

ENGINES: Single Stage: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5.

Upper Stage: A8-5 (1st Flt.), B6-6, C6-7. Booster Stage: A8-0(1st Flt.), B6-0, C6-0,

No. 1365 \$6.25







Engines, launch system, glue and finishing supplies-Not Included. Avg. Ship. Wt. 12 oz.





U.S.S. PLEIADES

SKILL LEVEL 3 Two-stage exotic space fighter. Our engineer's concept of a futuristic space interceptor. Flights to 900 feet. Length: 20.625 Dia. 1.325 Wt. 2.3 oz

ENGINES: Single Stage: A8-3, B4-4 (1st Fit.), B6-4, B8-5, C6-5.

Upper Stage: A8-5 (1st Fit.), B4-6, B6-6,

C6-7

Booster: A8-0 (1st Flt.), B6-0, C6-0.

No. 1910 \$7.25



APACHE - 2

SKILL LEVEL 3 Ultra-high performance two-stager with unique kit decal. Streamer for reliable high-altitude recovery. Capable of flights over 2500 feet. Length: 18.25° Dia. 0.976° Wt. 1.34 oz.

ENGINES: Single Stage: 1/2A6-2; A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5.

Upper Stage: 1/2A6-4, A8-5 (1st Fit.), B4- 6, B6-6, C6-7

Booster: A8-0 (1st Fit.), B6-0, C6-0.

No. 1388 \$5.50



COMANCHE - 3

SKILL LEVEL 3 Big three-stager with mighty "D" powered booster. Can be flown in single, two-stage or three-stage configurations. Incredible flights over 2,600 feet. Length: 41" Dia. 0.976" Wt. 2.08 oz.

ENGINES: Single Stage: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5.

Upper Stage: A8-5 (1st Fit.), B4-6, B6-6, C6-7.

Second Stage: A8-0 (1st Fit.), 86-0, C6-0.

Booster: D12-0 (1st Fit.).

No. 1382 \$6.75



Engines, launch system, glue and finishing supplies-Not Included, Avg. Ship. Wt. 12 oz.



STEALTH

SKILL LEVEL 3 Radar invisible fighter from the future closes in on its opponents from seemingly nowhere. Outfitted with lazer weaponry it seeks and destroys in ultimate silence. Our model can reach altitudes up to 900 feet. Length: 16.25" Dia. 1.125" Wt. 2.3 oz.

ENGINES: A8-3, B4-4 (1st Fit.), B6-4, C5-3, C6-3, C6-5.

No. 1929 \$5.95



ATTACK CRAFT ORION

SKILL LEVEL 3 Unique design for dramatic space fighter of the future with quad mounted laser cannons in nose and dual fusion reactor engines. Flies over 1,300 feet with "C"engine. Length: 12,3" Dia. 0.976" Wt. 1.41 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C5-3, C6- 5.

No. 1374 \$6.95



ORBITAL TRANSPORT

SKILL LEVEL 4 Only a gleam in the eye of NASA, but it's flying for Estes rocketeers right now! Astonishingly realistic recovery system where mothership returns to Earth via huge 18" parachute and interplanetary orbiter glides home. Long and sleek, developed for both orbital and near-space missions. Transport vehicle and glider fly piggybacked and separate at apogee for spectacular dual recovery, TRANSPORT SHIP Length: 23" Dia. 0.976" Wing Span 7.9" Wt. 2 oz. RE-ENTRY VEHICLE Length: 8.6" Dia. 0.736" Wing Span 5" Wt. 0.5 ez. ENGINES: B4-2, B4-4, B6-2, B6-4 (1st Fit.), B8-5, C6-5.

No. 1242 \$10.50



GALACTIC TAXI

SKILL LEVEL 3 Lightweight 3 passenger planet hopping taxi. Flights to 1,000 feet with 12° parachute recovery, Ideal display model and impressive in the air. Length: 13" Dia. 0.976" Wt. 1.27 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5. No. 1914

\$6.75



Engines, launch system, glue and finishing supplies-Not included. Avg. Ship, Wt. 12 oz.



STAR SPEEDER

SKILL LEVEL 2 Single place galactic fighter capable of tremendous speed and maneuverability. The Estes version sports great performance with flights over 800 feet. Length: 13.75° Dia. 0.736° Wt. 1.3 oz. ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5.

No. 1366 \$5.75



ASTEROID EXPLORER

SKILL LEVEL 2 Geological data gathering probe of the 1900's. Probes asteroids and other large masses for ore samples. Great display model and capable of flights over 1,000 feet. Length: 16.6" Dia, 0.976" Wt. 1.09 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5, C6-7.

\$5.50



SPACE STATION AQUARIUS

SKILL LEVEL 3 Large, deep space research station. Carries crew of 260 to the edges of the galaxy. This big bird flies to over 800 feet and returns safely to Earth via big 18" parachute. Length: 20.75" Dia. 0.976" Wt. 1.84 oz.

ENGINES: A8-3 (1st Fit.), B4-2, B4-4, B6-2, B6-4, C5-3, C6-3, C6-5.

No. 1902 \$8.75



NOVA SCOUT SHIP

SKILL LEVEL 2 Scout ship of the awesome Star Ship Nova intergalactic explorer (see page 41). Designed for planetary exploration. Flies to 900 feet. Length: 15° Dia. 0.976° Wt. 1.29 oz.

ENGINES: A8-3 (1st Fit.), B4-2, B4-4, B6-4, B8-5, C6-3, C6-5.

No. 1392 \$5.50



SCORPIUS

SKILL LEVEL 3 Futuristic cruise ship for deep space exploration powered by two ion induction electrification engines. An incredible display model. Length: 15.25" Dia. 0.976" Wt. 1.59 oz. ENGINES: A8-3, B4-4 (1st Fit.), B6-4, B8-5, C6-5.

No. 1375 \$5.95



FALCON COMMANDER

SKILL LEVEL 1 Futuristic forward swept-wing space-craft. Terrific Skill Level 1 exotic model. Can achieve altitudes up to 1,000 feet. Length: 19.12° Dia. 0.976° Wt. 1.1 oz.

ENGINES: A8-3 (1st Fit.), A8-5, B4-4, B6-4, B6-6, B8-5, C6-5, C6-7.

No. 1364

\$5.75



Engines, launch system, glue and finishing supplies-Not Included, Avg. Ship. Wt. 12 oz.





NASA PEGASUS

SKILL LEVEL 2 Medium range research craft for NASA missions after the Space Shuttle. Flies over 850 feet, Length: 19.75° Dia. 1.325° Wt. 2.36 oz. ENGINES:A8-3(1st FIL.), B4-2, B6-4, B8-5, C5-3, C6-3, No. 1376

\$7.25



STAR SHIP NOVA

SKILL LEVEL 3 Truly awesome in appearance, this inter-galactic explorer is believed to be outfitted with both conventional atomic engines and hyperspace starflight drive. Heavily armed with multiple phaser banks, photon torpedoes, and energy deflection shields, the Nova is prepared to meet any foe. The Estes version of the magnificent starship is perfect for demonstrations and really great for display. Length: 19.75° Dia. 0.976° Wt. 2.3 oz. ENGINES: B4-2 (1st Fit.), B6-2, C5-3, C6-3.

No. 1371



X-16

\$8.25

SKILL LEVEL 3. Far in the future the Air Force may be flying this experimental model into Earth's outer atmosphere to test hyper velocity near space travel. Our version can fly to 1,000 feet. Length: 17.25° Dia. 0.976° Wt. 1.45 oz.

ENGINES: A8-3 (1st Fit.), B4-4; B6-4, B8-5, C6-5.

No. 1933 \$5.50



ARIES S.S.T.

SKILL LEVEL 2 Futuristic transport capable of flights to 1,000 feet. Length: 13.5" Dia. 0.976" Wt. 1.34 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, C6-5.

No. 1927

\$5.00



Engines, launch system, glue and finishing supplies -Not included. Avg. Ship. Wt. 12 oz.



VINDICATOR

SKILL LEVEL 3 Sleek interplanetary interceptor with futuristically detailed nose cone. A really sharp display model with starfight camouflage decor. Great demonstration model with flights up to 900 feet, Length: 25.5 Dia. 1.325 Wt. 2.6 oz.

ENGINES: B4-2, B6-2, B6-4 (1st Fit.), B8-5, C6-3, C6-5.

No. 1367 \$8.25



U.S.S.F. FIREFLASH

SKILL LEVEL 3 High performance U.S. Space Force fighter craft. Features new Space Force color scheme and is armed with two gattling barreled infra-iscopic laser cannon. Flights to 900 feet. Length: 16" Dia. 0.976" Wt. 1.7 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5.

No. 1909

\$7.25



ADVANCED TARGET DRONE

SKILL LEVEL 2 U.S.A.F. Target Drone used to test the surface-to-air missiles of the 21st Century. Although it looks complex, the A.T.D. is fast and easy to build. Length: 15.3" Dia. 0.976" Wt. 1.48 oz. ENGINES: A8-3, B4-4 (1st Fit.), B6-4, B8-5, C6-5.

No. 1913

\$6.75



STARSHIP EXCALIBUR

SKILL LEVEL 3 Immense starship armed with laser weaponry and defense shields voyages far into tleep space on peaceful missions. Our version of this starship can fly to 1,000 feet. Length: 15.5° Dia. 0.976° Wt. 1.89 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, C6-5.

No. 1920 \$5.50



SCISSOR-WING TRANSPORT

SKILL LEVEL 3 This exciting bird introduces the revolutionary new Scissor Wing concept, Features super SST styling and high flight reliability. Capable of glide times of more than 60 seconds. Internal election power pod features vertical stabilizer fins. Comes ready-to-assemble with die-cut parts and two-color decals. Length: 22.75" Body Dia. 0.976" Wing Span 16" Wt. w/pod 2.5 oz. w/out pod 1.8 oz. ENGINES: B4-2 (1st Fit.), B6-2, C5-3, C6-3.

No. 1265 \$11.00







Engines, launch system, glue and finishing supplies-Not included. Avg. Ship. Wt. 12 oz.





DELTA WEDGE

SKILL LEVEL 3 Exotic fighter capable of ultra-light speed passes through time-windows to evade or strike the enemy. Our model of this fighter can altain altitudes over 1,000 feet. Length: 16.5° Dia. 0.736° Wt. 1.52 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5.


No. 1931 \$4.50



XARCONIAN DESTROYER

SKILL LEVEL 3 Futuristic battle cruiser featuring organic design. Beautifully detailed and capable of flights over 750 feet. Eighteen inch parachute recovery. Length: 14.7° Dia. 1.325° Wt. 2.2 oz. ENGINES: A8-3 (1st Fit.), B4-2, B4-4, B6-2, B6-4. B8-5, C5-3, C6-3, C6-5.

No. 1903 \$7.25



SOARING EAGLE

SKILL LEVEL 4 Estes' first flex-wing glider. Goes up like a rocket, pod ejects and wings unfold. Glide times up to 2 minutes, Length: 23.6 Dia. 0.976 Wt. 2.42 oz.

ENGINES: B4-2 (1st Fit.), B6-2, B8-5, C5-3, C6-3.

No. 1373 \$8.50



MANTA BOMBER

SKILL LEVEL 3 Fighter and mainstay of the Ray Galaxy fleet is heavily armed and driven by twin circulating vectron engines. Estes' model will fly to 1,000 feet. Length: 14.75 Dia. 0.976 Wt. 1.76 oz. ENGINES: A8-3 (1st Fit.), B4-4, B6-4, C5-3, C6-3. No. 1928

\$5.95



Engines, launch system, glue and finishing supplies Not Included, Avg. Ship, Wt. 12 oz.





TITAN II

SKILL LEVEL 2 Semi-scale version of the Titan ICBM with flights to 750 feet. Model features removable display engine nozzles and detachable clear plastic fin-unit which must be added for flight. Length: 19.5" Dia, 1.595" Wt. 2.37 oz.

ENGINES: B4-4 (1st Fit.), B6-4, C6-3, C6-5. No. 1918

\$6.95



MERCURY REDSTONE
SKILL LEVEL 5 Historical 1/35 scale model of the Mercury sub-orbital rocket used to launch Alan Shepard into space flight May 5, 1961. Authentic detalling includes large decal and injection molded Mercury capsule and tower. Rocket and capsule each return to Earth via 12" chute recovery. Length: 28.75" Dia. 2.04" Wt. 3.0 oz.

ENGINE: C5-3 (1st Fit.).

No. 1921 \$11.95







EXOCET

SKILL LEVEL 3 Nearly two feet tall, this semi-scale model of the French anti-ship missile produced by the Societe Nationale Industrielle Aerspatiale is an excellent sport flyer capable of altitudes up to 900 feet. It's also an excellent display model. Length: 21,375" Dia. 1.325" Wt. 1.69 oz.

ENGINES: A8-3, B4-6 (1st Fit.), B6-6, B8-5, C6-5, C6-7.

No. 1925 \$6.50







Engines, launch system, glue and finishing supplies-Not Included. Avg. Ship. Wt. 15 oz.

Photo Courtesy NASA

Photo Courtesy Societe Nationale Industrielle Aerospatiale (Product of France)



HONEST JOHN

SKILL LEVEL 2 Updated version of this famous U.S. Army Missile, Flights to 1,000 feet. Length: 19.2 Dia. 1.325 Wt. 1.78 oz.

ENGINES: A8-3 (1st Fit.), B6-4, B6-6, B8-5, C6-5,

No. 1919 \$5.25



SATURN V MOON ROCKET

SKILL LEVEL 5 A truly magnificent scale reproduction of the world's most famous rocket...the mighty Saturn V. First space vehicle to carry men to the moon and most recently utilized to place Skylab in orbit around Earth, Scaled to 1/100th of its actual size, our model stands an impressive 43-1/2" tail. Single "D" engine power gives this baby a spectacular Cape Canaveral style lift-off. Apollo capsule has life-like recovery with bright 12" orange and white chute. Precision molded plastic engine nozzies and Apollo capsule with escape tower give detailed authenticity. Corrugated body wrap-ons make this one of our most precise scale models. Also includes Tech Report on clustering. Length: 43.5 Dia. 3.938 Wt. 9.9 oz.

ENGINES: May be flown as a 3 engine cluster or single engine. Cluster Power: C5-3 or C6-3 (3 reguired), "D" Power; D12-3 (1 required).

No. 1236 \$43.95



V-2

SKILL LEVEL 4 Large semi-scale version of the World War II ballistic missile. The original German version stood 46 feet high, weighed over 14 tons and could travel as much as 200 miles at nearly 2,000 mph. Length: 22.4° Dia. 2.60° Wt. 4.9 oz. ENGINES: D12-3 (1st Fit.), D12-5.

No. 1926 \$9.95



PHOENIX

SKILL LEVEL 3 Big semi-scale model of the famous Phoenix air-to-air supersonic missile. Impressive in the air and on display. Single "D" powered engine provides a slow, realistic lift-off and flights over 600 feet. Length: 30° Dia. 2.60° Wt. 6.6 oz.

ENGINE: D12-3 (1st Fit.)

No. 1380 \$12.00







Engines, launch system, glue and finishing supplies-Not included. Avg. Ship. Wt. 32 oz.



SPACE SHUTTLE COLUMBIA

SKILL LEVEL 2 Beautiful semi-scale model of America's newest spaceship. Assembles easily with moided plastic nose cone and orbital maneuvering system pods. Spectacular flights over 500 feet with 18' parachute recovery. Makes a great display model too! Length: 10.7" Wing Span 8.125" Dia. 1.537" Wt. 1.98 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5.

No. 1385

\$8.50



SPACE SHUTTLE

SKILL LEVEL 4 Dramatic 1 162nd scale reproduction of America's newest space vehicle. Designed as a reusable near space transportation system with satellite deployment and retrieval capability. Delivers really spectacular flights. Semi-scale orbiter employs glide recovery just like the real thing while boosters and external tank return via 18" parachute recovery. Our model features special stabilizer fins for atmospheric flight which remove easily for display. Kit components include injection molded, vacu-formed plastic and die-cut parts. Incredible display model with authentic NASA decor. Shuttle Length: 13.6" Dia, 2.04" Orbiter Length: 9.0" Orbiter Wingspan 7.1 Wt. 4.37 oz.

ENGINES: C5-3 (1st Fit.), C6-3.

No. 1284

\$16.50

*** / 3 / 1**

Engines, launch system, glue and finishing supplies-Not included, Avg. Ship. Wt. 11 oz.

NASA STS DATA

On a standard mission, the Orbiter will remain in orbit for 7 days, return to the Earth, land like an airplane, and be readled for another flight in 14 days. It can deploy and retrieve satellites and can place deep-space vehicles in their initial low-Earth orbit. The STS will also be used to transport the European Space Agency's Spacelab into orbit.

The Space Shuttle is comprised of the following three main units:

- Two solid rocket boosters (SAB's) which have a sea level thrust of 2,600,000 pounds each.
- The orbiter which is 121 long with a wing span of 79, weighs about 150,000 pounds without fuel. It has a payload bay 60 long and 15 in diameter. Payload capacity is 65,000 pounds.
- The external tank (ET) is 154 long and 28.6 in diameter. At lift-off the tank contains 1,550,000 pounds of liquid hydrogen and oxygen. These are in separate compartments of the tank and are fed to the orbiter's three main rocket engines which have a thrust of 470,000 pounds each. The tank is not reusable.

Maximum attitude of the Space Shuttle is 600 miles.

Photo and STS DATA Courtesy of NASA



BOEING A.L.C.M.

CRUISE MISSILE

SKILL LEVEL 4 Designed to be launched from a large aircraft like the Lockheed C5-A Galaxy or the B-52 Bomber, the Cruise Missile can deliver a nuclear warhead with pin-point accuracy to its target. The Estes near-scale version of this vehicle is a challenging model with blow-molded plastic body, die-cut plastic fins & wings, and injection moided plastic parts. Also included is a 4-color decal sheet, 12" 'chute, and wings that swing out for display. Length: 12.3" Wing Span 7.75" Wt. 2.79 oz. ENGINES: A8-3, B4-4 (1st Fit.), B6-4, B8-5, C6-5.

No. 1336 \$12.00



SEA DART

SKILL LEVEL 2 Semi-scale model of the British Aerospace Sea Dart surface-to-air missile. Used successfully in the Falkland's battles. Flights over 800 feet on a "C" engine. Length: 16.5" Dia. 1.325" Wt. 1.7 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, C6-5.

No. 1901 \$6.75



NIKE-X

SKILL LEVEL 2 Scale-like single-stage model of U.S. Army's 4th generation, two-stage surface-toair missile. Nike-style design with U.S. Army decor. Great performance for really impressive flights. Easy-to-assemble. Length: 23.4" Dia, 1.325" Wt. 2.3 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5.

No. 1270 \$8.25



SANDPIPER

SKILL LEVEL 2 Semi-scale model of actual target drone, Impressive in the air and on display. Spectacular flights over 900 feet. Length: 14.3° Dia. 0.976" Wt. 1.0 oz.

ENGINES: A8-3 (1st Fit.), B4-4, B6-4, B8-5, C6-5,

No. 1389 \$5.95



MX MISSILE

SKILL LEVEL 1 Easy-to-build semi-scale model of our nation's newest ICBM proposal with flights to 750 feet. Features include removable display engine nozzie and detachable clear plastic fin-unit which must be added for flight. Length: 15.5" Dia. 1.595" Wt. 1.94 oz.

ENGINES: A8-3, B4-4 (1st Fit.), B6-4, C6-3, C6-5.

No. 1916 \$5.95





Engines, launch system, glue and finishing supplies-Not Included. Avg. Ship. Wt. 12 oz.



MAXI ALPHA 3

SKILL LEVEL 2 Very easy-to-assemble giant scale version of one of our most popular kits. Can be ready-to-launch in approximately 30 minutes. Features new press-fit plastic fin-unit, plus plastic nose cone. "D" engine powered for truly spectacular flights up to 500 feet. Perfect for demonstrations. No painting required! Uses 3/16' launch rod. Length: 33.25' Dia. 2.6' Wt. 7.4 oz.

ENGINES: D12-3 (1st Fit.), D12-5.

No. 1321 \$16.50



DEFENDER

SKILL LEVEL 2 "D" Powered high-performance sport flier capable of flights over 1,200 feet. Length: 25" Dia, 1,325" Wt. 1.8 oz.

ENGINE: D12-5 (1st Fit.).

No. 1924

\$5.00



MACH - 2

SKILL LEVEL 2 Experimental sounding rocket design. This bird is easy-to-assemble and mighty "D" engine powered for flights over 1,000 feet. Length: 25.5" Dia. 1,637" Wt. 2.6 oz.

ENGINES: D12-5 (1st Fit.), D12-7.

No. 1379 \$7.75 @73/A

SKYBOLT

SKILL LEVEL 2 Super "D" engine powered high performance sport model. Spectacular flights over 1,000 feet plus dramatic recovery with 90 streamer. Easy-to-assemble and finish. Length: 23 Dia. 1.325 Wt. 1.75 oz.

ENGINES: D11-9, D12-7 (1st Fit.).

No. 1334 \$6.50 570//

CHALLENGER - II

SKILL LEVEL 2 High performance "D" engine powered sport model. Easy-to-assemble and fly in less than one hour. No painting required with black plastic fin-unit, yellow nose cone, and pre-colored white body tube. Recommended high altitude launch vehicle for the Astro Cam 110 Aerial Camera (see page 11). Take fantastic aerial photos from over 1,200 feet. (Astro Cam 110 Camera-Not Included.) Length: 24.25 Dia. 1.34" Wt. 3.0 oz.

ENGINES: D11-9, D12-7 (1st Fit.).

\$8.95

alue and finishing

Engines, launch system, glue and finishing supplies-Not Included, Avg. Ship, Wt. 12 oz.






WASP

SKILL LEVEL 2 This sporty model with scale-like appearance is "D" powered for flights up to 1,200 feet. Foil wrap-on decal assists in tracking and locating, Length: 16.4" Dia. 1.325" Wt. 1.6 oz. ENGINES: D12-3 (1st Fit.), D12-5.

No. 1930

\$4.50



MAXI ICARUS

SKILL LEVEL 2 Huge super "D" engine powered payload model with large see-thru cargo section. Delivers spectacular flights over 1,000 feet. Over 6 cubic inches or up to 80 grams of payload capacity. Length: 29.75° Dia. 1.64° Wt. 3.2 oz.

ENGINE: D12-5. No. 1331 \$12.00





MEAN MACHINE

SKILL LEVEL 2 Tallest rocket in the Estes fleet. "D" engine powered for spectacular flights over 800 feet. Over 6 feet long with giant 24" chute. Easy-toassemble for a really great looking bird. Uses 3/16° launch rod. Length: 78,75" Dia. 1.637" Wt. 5.8 oz.

ENGINE: D12-5

No. 1295 \$12.75







SCRAMBLER: 2

SKILL LEVEL 3 "D" powered payloader for those fragile biological payloads. Try launching a fresh egg! Flights over 1,000 feet. Length: 25.4" Body Dia. 1.32" Payload Dia. 1.64" Wt. 3.2 oz.

ENGINES: D12-5. NO. 1908 \$7.75



MAXI STREAK

SKILL LEVEL 2 High altitude "D" powered version of the famous Estes Streak. Delivers flights over 1,300 feet and returns via huge 90" streamer recovery. Length: 13.1" Dia. 1.637" Wt. 1.76 oz. ENGINES: D11-9, D12-5, D12-7 (1st Flt.).

No. 1387

\$5.25



Engines, launch system, glue and finishing supplies-Not included. Avg. Ship. Wt. 15 oz.

POWER-PULSE™ < LAUNCH CONTROLLER



Slim line futuristically designed launch controller uses revolutionary new 5 volt. Polaroid Polapulse P 100 battery. Super thin space age battery allow, for parted hand-held styling and delivers consistent ignition performance for more than 150 launchings.

Made of rugged styrene plastic, the Power-Pulse launch controller to tues safety key arming light, and launch button, pluc. 5-fee, of functionable and pre-soldered micro-clips. Very easy-to-assemble and is small.

and compact for range box storage. Battery can be instantly removed from launch controller for use in other electronic devices. Use with Estes Solar Igniters (#2301). (Battery No. Included.)

This launch controller or tomorrow leatures state-of-ar technology it's a must to every rocketeer so make the Power-Pulse a part of your launch equipment today.

Length 4-7/8 Width 3-7/8 Depth 15.16" to 1-13.16 Ship Wt. 12.oz

> No. 2210 \$10.95



Polaroid ® Polapulse "P-100 Battery

Revolutionary new, uper thin, high performance, 6 volt battery Measures on 3.7 high by 3 wide by 0.18 thick yet packs the power for more than 150 launchings. Use with Power-Pulse Launch Controller (No. 2210) and Solar Igniter (No. 2301).

Ship Wt. 4 cundes



No. 2211 \$3.95

Astron Launch Control System



Heavy-Duty Launch Controller features tuturistic design and provides greater reliability with simplified assembly. Bright orange plastic controller gives realistic ignilion system appearance. Recommended for 6 or 12 volt power sources. No need to remove battery from car, simply connect launch system's battery clips to terminats. Features include arming lamp, safety key, launch button, battery clips, micro-clips, and 18 feet of launch cable, Ship. Wt. 12 oz.

No. 2212 \$10.50

PORTA-PAD LAUNCH PAD

Mewry re-designed for increased stability, the Porta-Pad is rugged anough to lake the stress of countless faunchings, even with the old Estes. D" angines, yet is light-weight and compact enough for easy carrying and storage. Strong, girder construction allows for launching all Estes rockets. Accommodates standard 1/8" rod #2243) or heavy-duty 3 1.6" Maxi-Rod (#2244). Tilk adjustment allows you to compensate for wind direction. Ship. Wt. 1"b. 8 oz.

No. 2217

\$10.50





SOLAR LAUNCH CONTROLLER

The Solar Launch Control System should be standard equipment in your range box. This futuristically designed launch control unit requires only 4 alkaline type AA size batteries for power Advanced shape allows for perfect hand-held control. Unit is easily assembled in minutes and lealures safety key, ton, and 15 feet of lightweight launch cable. System is constructed of durable "non-breakadered. Use with Estes Solar Igniters (#2301). (Batteries not included.) Length 6.1" Ht 24" Width 1 44" Wt. (with batteries) 7 oz. Ship. Wt. 8 oz





The Estes Big Foot launch cor trol system is capable of launching all Estes models. Futurishically designed launch platform features rugged plastic construction and enormous "two-toot-print" for maximum launch pad stability. Includes blast deflector plate, 1/8" x36" two-piece launch rod, adjustable swivel mount to compens ite for wind direction which is adaptable to either 1/8" or 3/16" launch rods, and has legs which remove easily for compact storage. This launch control unit is engineered for simple, quick assembly and features safety key, continuity check light, ignition button and 15 feet of launch cable. (Uses 4 alkaline type "D" cell batteries and Estes Solar (gniters #2301-Not Included.) Ship, Wt. 2 lbs No. 2208 \$24.95

LAUNCH SUPPLIES

1/8" DIA, TWO-PIECE LAUNCH ROD: Handy collapsible two-piece rod for portable launchers. Pieces slip together to make a 36° long rod. Base rod has a diameter of 1/8". Includes Safety Cap & Key Ship. Wt. 6 oz.

No. 2243

ADD-ON ROD: Sturdy 1/8" diameter, 18" long launch rod section expands two-piece rod to 54" length, Ship Wt. 6 oz.

No. 2235

3/16" DIA, MAXI-ROD: Perfect for launching grant models and other large rockets. Fits Porta-Pad Tripod (#2217) and Big Fool Launch Pad (#2208). Two-piece construction 36° long, lightweight aluminum launch rod. Collapsible for easy storage, Includes Safety Cap 3 Key, Ship, WI, 12

No. 2244

MICRO-CLIPS: Equip your auncher with the best. Spring-loaded solld steel clips connect lear wires to Igniters. Easy-to-clean and highly conductive with flat contact surfaces. Only 1.1 Inches long. Attach to leads will or without solder. Ship, Wt. 1 oz.

No. 2247 2 for \$1.05 LAUNCH ROD SAFETY **CAP WITH UNIVERSAL** SAFETY KEY



LAUNCH ROD SAFETY CAP with UNIVER-SAL SAFETY KEY: For Launch Pad Safetyl Includes plastic launch rod cap, universal salety key, and elastic cord, Fris all Estes launch control systems Ship. Wt 4 oz

No. 2205

BLAST DEFLECTOR PLATE: Slip-on motal deflector plate lits any launcher using 1/8" or 3 16" rods. Prolects launcher base from rocket blast. Four-inch diameter, Ship, Wt. 5 oz.

No. 2241

BATTERY CLIPS: Hook-up to car batteries. Heavy-duty clips connect to terminals up to 1" in dia. With insulators, Ship Wt 5 oz.

No. 2245

2 for \$1.65

Altitude Finder

Skill Level 1

Track your rocket to the top of its flight and instantly lockin its attitude on the "new" AltiTrak attitude finder. Displays exact model rocket altitude on metric scale—no guessing! (Conversion table included for feet.) A precision instrument made of durable plastic. Easy-to-assemble and looks like futuristic laser pistol. How high did it go? Now you'll know! Ship. Wt. 15 oz.

No. 2232

\$8,25



The Estes Pocket Size Altitude Computer enables any rocketeer to predict his model rocket's altitude in a matter of seconds. Just move the center slide in a simple procedure for fast, accurate results. Three color calculator comes complete with instructions. Ship. Wt. 3 oz.

No. 9015

\$2.50

EMERGENCY REPAIR KIT

A must for every range box. Features many essential materials for "on-the-spot" repair of your model rockets. Ship. Wt. 8 oz.

INCLUDES:

Sandpaper Screw Eyes White Glue Packet Launch Rod Salety Cap Universal Safety Key

Recloseable Pouch Recovery Wadding 12" Parachule 1/8" and 1/4" Shock Cords 144" Shroud Line

Tape Discs Launch Lugs Shock Cord Mounts No. 2233 \$2.50

PHANTOM SKIII Level 1

Educational, See-Thru Rocket with Recovery System, 10" Parachute, **Engine Mount, and Cut-Away Engine!**

> Perfect static demonstration model for workshops and presentations. Shows all internal components of a model rocket plus special cut-away version of C6-5 model rocket engine. Ideal for displays and exhibits.

Length: 12.6" Dla. 0.976"

Wt. 1,35 oz. Ship. Wt. 3 oz.

No. 1207

\$5,50

68



FUTURISTIC PARTS ASSORTMENT Create your own interplanetary voyagers and space fighters with this selection of science-fiction-style parts. Ideal for the creative designer. Over 50 parts1 Includes special exotic fin patterns and design

idea sheet. Ship. Wt. 2 lb. Miscellaneous 1 Nose Block (NB-20)

Nose Cones **Body Tubes** PNC-50KA 1 BT-5 1 BT-20 PNC-50SP 2 BT-50 PNC-50 2 BT-55 1 PNC-55B

Parachute Fin Material 1 PK-10 2 PK-12 1 PK-18

1 PK-24

Recovery Equipment 3 Shock Cord 1/8" x 18" 1 Shock Cord 1/4" x 36" 1 Streamer Material

2 BFS-20

2 BFS-30

1 BFS-40

No. 1465 \$26.95



Position and glue fins quickly and easily. Fits body tubes up to BT-101. Designed for either 3 or 4 finned rockets, aligning fins at 90° or 120° to each other. Easily assembled with slip-together plastic parts. Adjusts guickly with plastic fin position clips. Ship.

No. 2231 \$8.95



1 Nose Block (NB-50)

1 Fin Pattern Sheet

1 Design Idea Sheet

1 Mini Alpha Book of

Model Rocketry

Set (TA-1)

1 Multi-Purpose Adapter

I Exotic Fin Pattern Sheet

3 Engine Blocks (EB-20A)

1 Stage Coupler (JT-50C) 1 Stage Coupler (JT-55C) 3 Engine Holders (EH-2)

12 Launch Lugs (LL-28) 2 Engine Mounts (EH-2050)

Designer's Special

Ideal parts assortment for the creative rocketeer. Develop your own R & D program. Over 75 pieces at an excellent savings! Ship. Wt. 2 lbs.

Body Tubes 2 8T-5 2 BT-20 2 BT-50

Recovery Equipment 3 Shock Cord 1/8" # 18" Shock Cord 1/8" x 36" Shock Cord 1/4" x 35" Streamer Material 1" x 30" 6 Scrow Eyes

Nose Cones 1 BNC-5E 1 BNC-5S 1 BNC-20B 1 BNC-20R 1 PNC-50KA

3 Engine Blocks (EB-20A) 3 Engine Holders (EH-3) a Engine Holders (EH-3)
3 Engine Holders (EH-2)
1 Engine Mount (EH-2050)
1 Engine Mount (EH-2060)
1 Nose Block (NB-30)
1 Nose Block (NB-50)
1 Stage Coupler (JT-55C)
1 Stage Coupler (JT-60C)
1 Balse Adapter (TA-2050A)
1 Multi-Pursons Rome 1 PNC-50Y 1 PNC-55AC 1 PNC-60L

Fin Material 2 BFS-30 2 BFS-40

Persobutes 2 PK-12 1 PK-18 No. 1463 1 PK-24

 Multi-Purpose Peper Adapter Set (TA-I)
 Launch Lugs (2-3/6" long)
 Alpha Book of Model Rocketry 1 Fin Pattern Sheet No. 2 1 Fin Pattern Sheet No. 3

\$21.95





MODEL ROCKET ENGINES

Reliability-Proven In Over 210 Million Safe Launchings!

Quality-Tested For High Performance Flights!!

The Finest Engine Made You Can Depend On It . . . For Every Flight Application!!

The dissign and development of the Estes model rocket engine was the real beginning of the sate, educational and exciting hobby that model rockstry has become


and neering efforts at Estes able, safety-proven engines for his of her use

The energy packed, solid proangine is a complete power nystem for your rocket. If its designed and pre-manufactured to perform all power functions for dependable launch and aclivation of a recovery system. In one compact package it provides thrust for quick lift-off and acceleration to high attitudes. allows for a timed delay period to reach peak altitude while delivering a smoke trail for easy tracking, and supplies ejection power for the paractule or other recovery system for your rocket's sale return to Earth

Reliability-proven in over 210 million launchings Estes en gines are manufactured under strict, quality-controlled conditions within exacting tolerance limits. You can count on them. for consistent performance from one launch to the next You'll launch with confidence in all your model rocketry activities.

More than 3% of all Estes model rocket engines produced are static tested to insure rocketeers of the highest performing, most reliable model rocket engines made.

CONSTRUCTION AND PERFORMANCE **FUNCTIONS**





ROCKET ENGINE SELECTION CHART

Prod. No.	Engine Type	Prices 3 for 1	Total in b-sec (1	npulse n-sec ②	Time Delay (±15%)	Max. Lift WL	Max. Thrust	Thrust Duration	Init Wei Oz.			ellant Ight G.
SIN	GLE STA	GE EN	IGINE	s					GRE	EN L	ABEL	
1593	1/2A6-2	\$2.85	0.28	1.25	2 sec.	2.5 oz.	46 02	0.20 sec.	0.53	15.0	0.055	1.56
1598	AB-3	\$3.00	0.58	2.50	3 sec.	4.0 oz.	48 OZ.	0.32 sec.	0.57	16.2	6.110	3.12
1601	84-2	\$3.00	1.12	5,00	2 sec	4.0 oz	48 oz.	1.20 sec.	0.70	19.8	0.294	8.33
1502	B4-4	\$3.00	1.12	5.00	4 sec.	3.5 02	48 oz.	1.20 sec.	0.74	21.0	0.294	8.33
1605	B6-2	\$3.00	1.12	5.00	2 sec.	4.5 gz.	48 oz.	0.83 sec.	0.68	19.3	0.220	6.24
1606	B6-4	\$3.00	1.12	5.00	4 88C	4.0 oz	48 02	0.83 sec.	0.71	20.1	0.220	6.2
1620	88-5*	\$3.15	1.12	5.00	5860.	5.0 oz.	5 lb.	0,60 sec.	0.68	19.3	0.220	6.2
1617	C5-3	\$3,25	2.25	10.00	3 sec.	8.0 oz.	5 lb.	2.10 sec.	0.90	25,5	0.450	12.70
1613	C8-3	\$3.25	2.25	10.00	3 sec.	4.0 cz.	48 02	1.70 sec.	0.88	24.9	0.440	12.4
1614	C6-5	\$3.25	2.25	10.00	5 sec.	4.0 oz.	48 oz.	1.70 sec.	0.91	25.8	0.440	124
UPP	ER STA	GE EN	GINE	s ^③			PL	IRPLE O	RBL	UE L	ABEL	
1594	1/2A6-4	\$2.85	03	1.25	4 mid	1002	46 OZ	0.201	0.54	15.3	0.055	1 5
	1/2/400-14											0.1
	49.5	\$3 m			N AUNO.	2007		11 (32 50)	0.62	17.8	0.118	
1589	A8-5	\$3,00	0.50	5.00	5 680. 6 846.	2.0 GZ	48 oz	0.32500.	0.62	17.6	0 110	
1604	B-1-6	\$3.00	1,22	5.00	6.846	1.5oz	48 oz	1.20 per	0.78	22.1	0.294	0.3
1604			1,12									0.3
1604 1607 1015	B-1-8 B-6-0	\$3.00 \$3.00 \$3.25	1, 12	5.00	6 8 8 G	1 50z 2 0 oz	48 oz. 48 oz.	1.20 perc 0.83 perc	0,78 0 78 0.95	22.1 22.1 26.9	0.220	0.3
1604 1607 1015 BOO	B4-6 B6-0 C6-7 DSTER E	\$3.00 \$3.00 \$3.23 NGINE	1, 2 1, 2 2, 5	5.00 5.00 10.00	0 8 0 6 8 50 G 7 50 C	1 502 2.002 2.504.	48 oz 48 oz 48 oz	1.20 mm 0.83 mm 1.70 ses	0,78 0 78 0.95	22.1 22.1 26.9 ED L	0.220 0.440 ABEL	0.3
1604 1607 1015 BOO	B1-6 B5-0 C6-7 DSTER E	\$3.00 \$3.00 \$3.23 NGINE	1 2 1 2 215 S	5.00 5.00 10.00	6 sec. 7 sec.	1.502 2.002 2.502.	48 oz 48 oz 48 oz	1.20 mc 0.83 sec. 1.70 sec.	0.78 0.78 0.95 R	22.1 22.1 26.9 ED L	0.994 0.220 0.440 ABEL 0.110	3.1
1604 1607 1015 BOO	B4-6 B6-0 C6-7 DSTER E	\$3.00 \$3.00 \$3.23 NGINE	0.48 1.12 2.15	5.00 5.00 10.00 2.50 5.00	0 8 0 6 8 50 G 7 50 C	1 502 2.002 2.504.	48 oz 48 oz 48 oz	1.20 mm 0.83 mm 1.70 ses	0,78 0 78 0.95	22.1 22.1 26.9 ED L	0.220 0.440 ABEL	3.1. 6.2 12.4

Ship. Wt. of each package of engines is approximately 4 oz.

Complete Instructions and Solar Rocket Igniters are included with each package of Estes model rocket engines.

*Series II engines have semi-core-burning grain with large propellant burning area for high initial thrust with short thrust duration. "B8" type engines replace previous "B14" type engines. NOTES:

- Pound-seconds (Figures shown are optimum.)
- Newton-seconds *(Figures shown are optimum.)
- Or Single Stage Engine if used in very light rocket. 4.45 = Pound-seconds.

A Newton is the measurement of force required to move one idiogram of mass one meter per second. Ava. thrust in Newtons x thrust duration Newton-seconds. Newton-seconds + by

MINI-ENGINE SELECTION CHART

Prod. No.	Engine Type	Prices 4 for	Total In Ib-sec ①	n-sec (2)	Time Dolay (±15%)	Max. Lift Wt.	Max. Thrus	Thrust Duretion	Init Wel Oz.			ellani ight G.
SIN	GLE STA	GE E	NGINES	8					GREE	N LA	BEL	
1503	1/2A3-2T	\$3.00	0.28	1.25	2 sec.	202	28 oz.	0.36 sec.	0.198	5,6	0.062	1.75
1506	A3-2T	\$3.15	0.56	2.50	2 sec.	3 oz.	28 07.	0.86 sec.	0.254	7.2	0.124	3.50
1507	A3-4T	\$3,15	0.56	2.50	4 sec.	202.	28 oz.	0.86 sec.	0.268	7.6	0.124	3,50
1511	A10-3T	\$3.15	0.56	2.50	3 sec.	5 oz.	48 oz.	0.26 sec.	0.277	7.9	0.133	3.71
UPI	PER STA	GE EN	IGINES	3			PU	RPLE O	R BLU	ELA	BEL	
1504 1508	1/2A3-4T A3-6T	\$3.00 \$3.15	0 38 0 36	1.25	4 8c. 5 sec.	l az	28 oz. 28 oz.	0.35 sec 0.66 sec.	0.212	6.0 8.0	0.062	1.75
ВО	OSTER E	NGIN	ES			27			RE	DLA	BEL	
		-	0.56	2.50	none	5 oz.	48 oz.	0.26 sec.	0.235	6.7	0.133	3.71

MIGHTY "D" ENGINES Recommended Only for Experienced Rocketeers!

No.	Туре	3 for	lb-sec①	n-sec(2)	Oelay (±15%)	WE	Thrust	Duration	Weight Oz. G.	Weight Oz. G.
SING	LE STA	GE E	NGINES	3	1			-	GREEN LA	BEL
1666 1667		\$4.95 \$4.95	4.48 4.48	20:0 20.0		14 oz. 10 oz	9 lb.		1.49 42.2 1.52 43.1	0.879 24.93 0.879 24.93
UPP	UPPER STAGE ENGINES ③						PU	RPLE OF	BLUE LA	BEL
1968		\$4,05 \$4,95	4.48 3.97							9.5T9 24.90 0.85 11.50
BOC	STER E	NGINI	ES						RED LA	BEL
1865	D12-0	\$4,95	4,48	20.0	กตุกล	14 oz	9 lb.	1 70 sec	1.44 40.9	0.679 24 93

All the rockets shown in this catalog can be flown over and over again. Simply replace the ENGINE, IGNITER, and RECOVERY WAD-DING for each new flight.

SOLAR IGNITERS: Add increased reliability at lift-off with Estes "high performance" Solar Igniters. This uprated igniter is designed especially for the Solar Launch Controller (#2300), Big Foot Launch Control System (#2208) and new Power Pulse Launch Control- Estes Solar Igniter drying tunnel. ler (#2210). Features easy engine installation and is suitable for all Estes launch control systems. Unique four element design makes it the most dependable igniter made, Ship, Wt. 1 oz.

No. 2301 6 for \$1.40

RECOVERY WADDING:

Provides protection from hot election gases for parachutes and streamers. Each package contains approximately 75 4-1/2" squares - enough wadding for up to 25 flights. Instructions for installation are included in each package. Ship. Wt. 6 oz.

No. 2274

Ideal Engine Assortment For The Active Rocketeer. Features 24 of The Most Popular Estes Model Rocket Engines, plus Solar Igniters and Parachute Recovery Wadding. Priced At An Excellent Savings, Includes Six Each 1/2A6-2, A8-3, B6-4, and C6-5 High Performance Model Rocket Engines, One Pkg. Parachute Recovery Wadding, and 30 Solar Igniters. Ship. Wt. 1 lb. 8 oz.



-photo by David Brownell

Propellant



ASTRON IGNITER

\$1.45

ASTRON IGNITERS:

Easy to use for reliable Ignition every time. Recommended for launch systems using 6 or 12 volt car batteries or 12 volt lantern batteries. (Patent No. 3,363,559). Not recommended for Solar Launch Controller (#2300), Big Foot Launch Control System (#2208) or Power-Pulse Launch Controller (#2210), Ship, Wt. 1 6 for \$1.50

oz. No. 2225



No. 1672

\$16.99



RECOVERY SUPPLIES



PARACHUTE KITS: Get the best in parachute recovery! Two-color printed plastic 'chutes give maximum visibility with easy-trak design. Lightweight, durable and easily folded. These 'chutes are only 0.0075" thick, allowing the most material to be packed into the least body space. Each kit comes complete with 'chute material, tape discs, and shroud lines. Ship. Wt. 2 oz.

Prod. No.	Description	Parachute Diameter	Net. Weight	Price Each
2262	PK-10	10 inches	.035 oz.	\$1.40
2264	PK-12	12 inchès	.078 oz.	\$1.50
2267	PK-18	18 inches	,144 oz.	\$1.60
2271	PK-24	24 inches	.298 oz.	\$1,80

SHOCK CORD: Specify width
when ordering. Ship. WL 1 oz.
1/8" wide: Net Wt. 0.039 oz.
No. 2276 \$.85
1/4" wide; Net WI. 0.078 oz.
No. 2277 \$.95

Also 36" long for greater stretch on those larger birds. 1/8" wide: Net Wt. 0.078 oz.

No. 85744 \$1.00

TAPE DISCS: Fasten shroud lines to plastic parachutes or streamers with these 3/4" dia. pressure sensitive Tape Discs. in sheets of 6 discs. Ship Wt.

No. 2294 4 sheets of 6 \$1.45

MATERIAL: STREAMER Bright orange, flame-resistant crepe paper streamers. In 7-1/2 foot lengths, enough for two to eight streamers. Specify size when ordering. Ship. Wt. 1 oz. 1" wide: Net Wt. 0.092 oz. No. 2341 \$2.50 2" wide: Net Wt. 0.184 oz. No. 2343 \$2.75

SNAP SWIVELS: For quick changes and reduced tangling in your recovery systems, use these tiny 1" long snap swivels. Net Wt. 0.01 oz. Ship. Wt. for 12 swivels, 1 oz. No. 2292 12 for \$1.90

SCREW EYES: Specify size when ordering. Ship. Wt. for 6 LARGE EYE 1" long: 0.04 oz. No. 2280 6 for \$1.35 SMALL EYE 3/4" long: 0.03 oz. ... 6 for \$1.25 EXTRA SMALL EYE: 5/8" long: 0.01 oz. No. 2281 6 for \$1.10

TAPE	STRIPS	: For	lop
	, low b		
weight,	asten shr	oud line	es with
these 1/	4" x 3/4"	tape str	rips, in
sheets	of 12 stri	ps. Shi	p. Wt.
1 oz.			
May 2014	472		

6 sheets of 12 \$1.65

able,	durable,	custon
parachute	es with the	nis strong
hard surf	ace shrou	d line cord
Comes in	70 yard sp	pools. Ship
Wt. 5 oz.	,	
No. 2340		\$1,45

SHROUD LINES: Build reli-



WIN \$75.00 IN FREE MERCHANDISE!! ENTER THE **DESIGN OF THE MONTH CONTEST**

Have an idea for an original design? Enter our Design of the Month competition today. Your design could be published in an issue of Model Rocket News. Simply follow the rules below.

T. All entries become the property of Estes. To New contest every month

3. Any type of model mickelin display can be

and but they also amond to be worked to The

3. You may brind as rowny entires by your like

2.0 two or more exceptions unlike site

SPECIAL PUBLICATIONS & TECHNICAL REPORTS

Rocket Stability TR-1 No 84/71 \$ 70
Multi-Staging = R-2 No Bit722 2 20
Attitude Tracking TFI No. 8472" 5 70
Rear Engine Book Gliders - TR-4 No. 84724 1 70
Cluster Techniques TR o No. 14726 \$ 70
Front Engine Boost Gliders - TFF No 84727 \$ 70
Model Rocketry Study Guide - TR-8 No 84728
\$1.20
Attitude Prediction Cherts - TR 10 No. 84730
20,70
Aerodynamic Drag of Model Bockets - TR-11 No. 84731 \$1.70
Model Rocket Engines - TN 1 No 81700 5 70
Model Rocket Engine Performance TN-2 No. 84701 S. 70
Elementary Mathematics of Model Speket Flight
TN 5 No. 84704 5 70
COUNTDOWN, Mathematics and Model Rocketry
No 2955 \$1.60
Recovery Techniques - TN 5 No. 84705 \$ 70
ALPHA Mini Book of Model Rocketry No.
901022

Model Rocket Launch Systems No 2811 Estes Guide For Aerospace Clubs No. 2817 5 96 Space Age Technology No. 2817 Teachers Manual (No EUL); available to Eptes Model Rocket Contest Guide No. 2815 \$ 14

Aerospiece Education and Model Rocketry No 28 10

The Laws of Motion and Mod | Rocketry No 2021

The Alpha Book of Model Rockstry No. 2820 1 98 Industrial Arts Teachers Manual for Model Rocketty


Model Rocketty Technical Manual No. 2819 Bullaing & Wind Tunnel - 19 5 No. 84755 is That Parachute Too Big? - TN-3 No. 84702 | 4-70 RECROC - Recreational Program No 2026 \$1.40

Camp Leader's Model Rocketry Manual No 2002

Build Your Own Design With Estes Quality Model Rocket Parts

Once you have constructed several moder rocket kits and have become familiar with the basic Estes Technical Reports you will no doubt have a variety of ideas for unique designs of your own In order to setect the proper part. For your original design it is important for you to understand our system of parts description must bers.

Nearly all matching Estes part, trave the same series description number. This e which do not teature an additional explanation as to where they can be used. Normally parts usting the same series description number will be interchangeable with each other Follinstance a #20 body tube (BT-20) would mate vith a #20A balsa nose cone (BNC-20A), a #20C pay load so from (PS-20C), or a #20B ungine block (EB-20B) Further a #2060 tube adapting (TA-2060) will adapt a BT-20 to a BT-60 and a #5055 centering ring (AR-5055) will center a BT-50 within a BT-55. By using ball, or paper adilector distributions for ordering, he sure to use both this product number and the series description number (Iname).



MODEL ROCKET PARTS

Fin Stock

Top nuclity balansheating for making fins for model rockets. For maximum strength, grain of wood should follow the lenging edge of tin.

Prod.No.	Description	Prior	Dimensions (Ininches)	Weigh Net.	tin Oz. Ship.	Major Use
3164	BFS-20	3 for \$1.50	1/16x3x9	.130	4	High Performance
3166	BFS-20L	3 for \$1.75	1/16x3x12	.173	6	High Performance
3168	BFS-30	3 for \$1.55	3/32x3x9	.150	4	Sport Models
3170	BFS-30L	3 for \$1.80	3/32x3x12	.200	6	Sport Models
3172	BFS-40	3 for \$1.60	1/8x3x9	.200	4	Cluster Rockets
3174	BFS-40L	3 for \$1.80	1/8x3x12	.265	6	Glider Wings

Body Tubes

Prod.	Description	Price Each	Longin	Inside Diameter	Outside	Wall	Weight Net.	in Oz. Ship.
Spiral-	Wound Pape	ar Tube	for cose	sections a	nd stran-or	pavioads.		
3070	BT-5	\$1.45	18"	0.515"	0.541"	0.013"	.219	11
Spiral-	Wound Pape	er Tube,	for comp	etition and	sport mod	iels.		
3072	BT-20	\$1.65	18"	0.710	0.736"	0.013"	.288	11
Spiral-	Wound Pape	er Tube,	for sport	and high p	ertormano		nodels.	
3073	BT-50	\$1.65	18"	0.950"	0.976"	0.013"	.378	11
Spiral-	Wound Pape	er Tube,	for sport	and demo	nstration m	rodels.		
3074	BT-55	\$1.95	18"	1.283"	1.325"	0.021"	.672	11
Spiral-	Wound Pape	er Tube,	for sport	and demo	nstration n	nodels.		
3075	BT-60	\$2.05	18"	1.595"	1.637*	0.021"	.960	11
Spiral-	Wound Pape	er Tube,	for mons	ster models	and tail ris	ngs.		
3076	BT-70	\$2.55	17.5"	2.175"	2.217°	0.021	1,300	14
30433	_ ,	\$2.35	14.2"	2.560"	2.600"	0.021*	.637	11
Spiral-	Wound Pape	er Tube,	for giant-					
30438	BT-101	\$3.40	16.5"	3.896"	3.938"	0.021	1.974	16

Engine Blocks

Prod. No.	Description	Price 3 for	Outside Dia.	staide inside Langth Fits Ols. Dis.		Fitn	Weightin Oz. Net. Ship	
3131	EB-20A	\$1.30	.708"	.65"	1/4"	BT-20	.009	1

Nose Cones

Nose corie dimensione listed re columns 1, 2, and 3

in "Description column BNC stands for bals, nose cone and PNC to plasti, nose cone



	_	_			_				
Shape	No.	Prod.	Description	Price	Dir	nenelone 2	3	Average Weight	Ship.
		1947.		CHÉI		4	9	sseidint.	W.F.
2010	1 2 3 4	8002 8000 8001 8003	BNC-5V BNC-5E BNC-5S BNC-5W	\$1.45 \$1.45 \$1.45 \$1.65	3/4* 1-3/8* 1-1/2* 2-7/8*	0.541* 0.541* 0.541* 0.541*	· 1/4" 1/4" 1/4" 1/4"	0.013 oz. 0.020 oz. 0.016 oz. 0.039 oz.	1 oz. 1 oz. 1 oz. 2 oz.
6011	5 6 7 8	8004 8005 8007 8022	BNC-20A BNC-20B BNC-20R PNC-20N	\$1.35 \$1.55 \$1.65 \$1.80	13/16" 1-11/16" 2-3/4" 2-3/4"	0.736" 0.736" 0.736" 0.736"	1/4" 5/16" 3/8" 1/2"	0.03 oz. 0.05 oz. 0.07 oz. 0 12 oz.	1 oz. 1 oz. 2 oz. 2 oz.
9 10 11 12	9 10 10 11 12 12	8008 8009 71028 8010 8011 71009	BNC-50J BNC-50K PNC-50KA BNC-50X BNC-50Y PNC-50Y	\$1.65 \$1.85 \$1.56 \$1.95 \$2.20 \$2.00	1-3/8° 2-3/4° 2-3/4° 3-1/4° 4-3/8° 4-3/8°	0.976" 0.976" 0.976" 0.976" 0.976" 0.976"	1/2" 1/2" 1/2" 1/2" 1/2" 3/8" 3/8"	0.08 oz. 0.13 oz. 0.13 oz. 0.15 oz. 0.16 oz. 0.16 oz.	4 0Z. 4 0Z. 4 0Z. 4 0Z. 6 0Z. 6 0Z.
13 14 15	13 14 15	8014 8023 71075	BNC-55F PNC-55AC PNC-55AO	\$2.45 \$2.55 \$2.60	3-7/8" 5-3/8" 5"	1,325* 1,325* 1,325*	1/2" 3/8" 3/4"	0.19 oz 0.32 oz 0.43 oz	40z. 60z. 40z.
16 Q 17	16 17	8024 8021	PNC-60MS PNC-60AH	\$2.20 \$3.20	3-1/8" 6-5/8"	1.637" 1.637"	5/8" 7/8"	0.39 oz. 1.00 oz.	4 oz. 6 oz.
18	18	8019	BNC-70AJ	\$3.55	4-1/4"	2.217"	1"	0.85 oz	6 oz.
19	19	71035	PNC-80K	\$3.35	8-1/8"	2.555"	1-5/8"	1.68 oz.	B oz.

Engine Mounts

Use Estes high performance engine meunts for your onginal designs. All engine mounts feature easy - to - assemble instructions and lightweight companents.

Engine Type	Prod.	Description	Price	Fite	Net Weight Ciz.	Ship Wt Oz.
For Series 18 II Engines—A, B, & Ctype 0.69" x 2.75"	3150 3151 3152	EH-2050 EH-2055 EH-2060	\$1,60 \$1,60 \$1,60	BT-50 BT-55 BT-60	0.1 0.14 0.17	5 5 5
For Series IV Engines—D type 0 945" x 2.75"	3155	EM-5063	\$1.95	Saturn V	0.4	5
For T Senes Mini- Engines 5" x 1.75"	3153	EM-520	\$1.55	BT-20	0.09	5
Special Purpose Quick-Changs Conversion Mount —From Series IV Engines to Series I & II Engines	3154	EM-2050	\$1.65	BT-50	0.19	5



Balsa Adapters

Prod. No.	Description	Price Each	Males Tubes	Langth	Taper Length	Weight Not.	Ship.
8031 8032 8041 8033 8034 8035 8036 8038	TA-520 TA-550 TA-2050 TA-2055 TA-2060 TA-5055 TA-5060 TA-5560	\$1.55 \$1.65 \$1.45 \$1.80 \$2.55 \$2.55 \$3.00 \$3.10	BT-5 to BT-20 BT-5 to BT-50 BT-20 to BT-50 BT-20 to BT-55 BT-20 to BT-60 BT-50 to BT-55 BT-50 to BT-60 BT-55 to BT-60	1.75" 2.2" 3.0" 2.5" 3.0" 2.0" 3.0" 2.2"	0.75" 1.0" 2.0" 1.5" 2.0" 1.0" 2.0" 1.0"	0.04 0.06 0.15 0.22 0.20 0.60 0.23 0.25	1 4 4 4 4 4 4 4 4
8039	TA-6070	\$2.90	8T-60 to BT-70	2.7"	1.5"	0.65	4

Stage Coupler

all is 3 on watch

Prod.	Description	Price Each	Outside Diameter	Inside Diameter	Length	Fits	Average Weight
3050	JT-5C	\$1.00	0.513°	0.455"	3/4"	BT-5	.020 oz.
3051	JT-20C	\$1.00	0.708°	0.650"	3/4"	BT-20	.027 oz.
3052	JT-50C	\$1.00	0.949°	0.920"	1"	BT-50	.051 oz.
3053	JT-55C	\$1.00	1.28°	1.25"	1.3"	BT-55	.088 oz.
3054	JT-60C	\$1.00	1.59°	1.55"	1-1/2"	BT-60	.124 oz.
3055	JT-70A	\$1.45	2.175°	2.115"	1-1/4"	BT-70	.140 oz.

Nose Blocks

Prod. No.	Description	Price Each	Outside Diameter	Length	Fits	Weigh Net	In Oz. Ship.
70152	NB-20	\$1,15	0.710"	3 4"	BT-20	.014	1
70158	NB-50	\$1,30	0.950"	1"	BT-50	.040	4
70162	NB-55	\$1,30	1.283"	1-1 4"	BT-55	.115	4
70164	NB-60	\$1,45	1.595"	1-1 2"	BT-60	.190	4

CONSTRUCTION SUPPLIES

Centering Rings

AR-5056 CENTERING BINGS: For centering a No. 3102 4 for \$1.55

AR-2050 CENTERING RINGS: For contering a BT-20 body tube within a BT-50. Greater strength makes for use with high though engines. Weight per pair 0 285 ... Ship Wt 2 oz No. 3100 10 for \$1.90

Launch Lugs

LAUNCH LUGS: Super-stringth laminated launch lugs feature mylar plast o core for durabliity, paper outer layer for easy graing, Inside diameler 5/32" fils 1/8" faunch rod. Ship. Wt. 1 oz.

No. 2322 10 for \$1.80 MAXI-ROD LAUNCH LUG: 4" long, bits 3 16" diameter launch rod. No. 2328 4 for \$1.45

Dowels

DOWELS: Extra-strong, light weight seasoned No. 32058 8 for \$1.30 No. 32058 8 for \$1.30

Engine Holders

ENGINE HOLDER: Flat spring steel design

Paper Adapters

RA-2050 RINGS, 20 nings for centering and No. 3110 20 for \$1.45

RA-2055 RINGS: 10 rings for centering and No. 3111 10 for \$1.50

RA 2080 RINGS: 10 rings for centaring and No. 3113 10 for 51.55

MULTI-PURPOSE SET: Includes a total of 20





Sizzier Starter Kit

Your Estes product is warranted against defects in materials or workmanship for one year from the date of the original purchase. Any Estes product which, because of a manufacturing mistake, maifunctions or proves to be defective within the one-year warranty period will be repaired or replaced, at Estes' option and at no charge to you, provided it is returned to Estes with proof of purchase. This warranty does not cover incidental or consequential damage including injury or damage to persons or property caused by the use, abuse, misuse, fallure to comply with operating instructions or improper storage of the warranted product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion may not apply to

This warranty gives you specific legal rights and you may also have other rights which vary from state to state. For repair or replacement under this warranty, please return the defective part of your Estes product with proof of purchase to Estes Industries, Customer Service Department, Penrose, Colorado 81240.

- PRODUCT INDEX

Adapters 70	FRUUUL	INUEA	Skill Lavel Chart	. 2
Add-On Rod 60			Skybolt l0t	
Advanced Target Drone 43	Dasign Contest	Micro-Clips	Sky-Hi Kit	
Aero-Fin Kit		Mini-Mean Machine Kit 27	Sky Hook Kit	25
Airborns Surveillance Misalle Kit 31	Dowels 70		Snap Swivels	66
A.L.C.M. Cruise Missile Nt 53		Mosquito Kit , . ,	Soaring Eegle Kit	45
Alpha Kit 19			Solar Ignitiers	. 86
Alpha III Kit 17	Engine Blocks	H-O-	Soler Launch Controller	50
Alpha III Starter Kit 7	Engine Holders 70	NASA Pagasus Kit	Space Shuttle Kil	
AltiTrak 61	Engine Mounts 69	Nike X Kit 53	Space Shuttle Columbia Kit	51
Allitude Computer	Engines, Rocket 54 & 65	Nose Blocks 70	Space Shuttle Columbia Guttit	. 9
Apache-2 Kit	Estes Aerospace Club	Nose Cones	Space Station Aquenus Kir	30
Aries S.S.T. Kit 41	Estes Starfmer Kit	Nova Scoutship Kit	Sparten Kit	31
A.S.P. Kil		Orbital Transort Kit	Spin Fin Kit	13
Asteroid Explorer Kit 39	F-G-H-	Orion Attack Craft IQt	Stage Couplers	
AstroBee Kil			Star Dart Kit	29
AstroGam 110 KR	Falcon Commander Starter (01 9	-P-Q-R-	Star Seeker Kit	29
Astron Igniters 65	Fin Alignment Guide	Parachute Kita	Starship Excelibur Kit	43
Antron Launcher		Patriot Kit	Starship Nova Kit	
-8-	Firecat Kit	Phanlom Kit	Ster Speeder Kit	
Bat Kit, The	Futuristic Parts Assortment	Phoenix Kit 48	Stealth IQI	37
Battery Clips	Galactic Taxi Kit	Polaria Kit	Stealth Outfit	72
Bets Kit	Harpoon Kit.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Polaroid P-100 Battery 58	Stinger Kit	
Big Bertha Kit		Porta-Pad	Sting Ray Kit	
Big Fool Launcher	Honest John Kit 49	Power-Pulse Laurich Controller 58	Strapic Kit	25
Big Yank Kit	-J-K-L-	Publications	Streamor Material	68
Blast Deflector Plate 60	Javelin Kit 31	Quasar Kit	Super Flee IQt	31
Blast-Off Flight Pak	Kadel Kit 21	Recovery Wadding	-T-U-V-	
Blue Bird Zero Kit	Launch Lugs	Fled Max Kit	Tape Disce & Stripe	
Body Tubes68	Launch Rods 60	-8-	Technical Reports	67
•	Launch Rod Salety Cap 60	Safety Code 4	Titan II Kit	47
Certaing Rings	-14-	Sandpiper Kit	U.S.S.F. Fineflash Kit	
Challenger 1 Starter Kit	Mach-2 (0)	Saturn V Kit	U.S.S. Pleiades Kit,	
Challenger II Kit		Scissor-Wing Transport Kit 43	V-2 (0(
Cobra 1500 Kit		Scorpion Kit , 33	Vindicator Kit	43
Comenche-3 Kit		Scorplus Kit	-W-X-Y-Z-	
Comet Kit		Scout Kili	Wasp lift	
Cougar Kit		5.C.R.A.M. Kit	Witzmed Kit	15
Courier Kit	Maid loarus Kit	Scrambler: 2 K/I	Xanconian (Qt	
Cyclone Kit		Screw Eyes	X-15 Starter Kit	
-D-E-	Mand Streak Kit	See Dart Kit	X-18 Kit	
Defender Kit		Shock Cord 86	X-Ray Kit	
Delta Wedge Kit		Shroud Line 66	Yankee Kit	
Delute Starter Kit 9	Meteor Kit	Sizzier Kit	Zinger Kit	21

Background photos courtesy Lick Observatory and NASA. Special effects photography by Charles Webb.

OTHER DAMON COMPANIES:





Hi-Flier Manufacturing Co. Inc., Box 280, Penrose, CO Arrow Industries, Inc., 900 W. 45th Street, Chicago, IL. 81240-(303) 372-3080. Plastic and Paper Kites, Character Licensed Kites, Box Kites, Wing Plappers, Kite Cord and Winders, Gliders, Plastic Posters, Children's Hobby Crafts. Playmets, Halloween and Christmas Hang-Ups.

60609-(312) 927-2000. Toys, Novelties, Gumbell Banks, Clocks, Dollhouses, Christmas Omaments and

ELITE MODEL ROCKETRY OUTFIT SKILL LEVEL 3 This "Elite" outfit for the experienced model builder features the futuristic Stealth fighter (see Page 37) capable of flights to 900 feet. Also included is the high-technology Power-Pulse™ Launch Controller, Porta-Pad Launch Pad with blast deflector and 1/8" x 36" launch rod, plus three NAR safetycertified model rocket engines, recovery wadding and Solar Igniters. "The Modelers' Choice" to update your model rocketry fleet. **ENGINES:** A8-3, B4-4 (1st Flt.), B6-4, C5-3, C6-3, C6-5. EAL Ship. Wt. 2 lbs. No. 1436 (Requires 6 voit Polaroid® Pola-Pulse P-100 battery, white glue, plastic (a. cement, contact cement, paint and finishing supplies -Not Included.)

ESTES INDUSTRIES

Penrose, Colorado 81240 USA